



RETAIL PRICE LIST

Effective from 23rd Jan 2026

Sivantos India Pvt. Ltd.

Sattva Knowledge Court,
Wing 'A' and Wing 'B', Office -1, Ground Floor,
Plot No. 9, Doddenakkundi I Phase Industrial Area,
No. 77, Doddenakkundi Village, K.R. Puram,
Bengaluru – 560048



Scan to know more
about Widex

Widex™, Widex Moment™, Widex Moment Sheer™, MySound™, SoundRelax™, PureSound™, ZeroDelay™ Technology,
TruAcoustics™, Widex Remote Care™, Tonelink™, TV Play™ and DEX are trademarks of Widex A/S

facebook.com/widexindia instagram.com/widex.india youtube.com/Widex India Pvt. Ltd.



Doc ID: D00362010



WIDEX SOUND PHILOSOPHY

LESS IS MORE IN
NATURAL HEARING

RESPECT ALL SOUNDS

We craft an authentic sound experience that respects how the auditory system works, preserving the details and applying extreme sound processing only when necessary.

TAILOR TO THE USER


We provide a tailored sound experience where intelligent technology shapes sound delivery to each individual user and their preferences.

FOCUS ON WHAT MATTERS

We create a seamless sound experience with advanced analysis continuously adapting processing to any challenging situation - reducing distracting noise and improving speech clarity.



90%



of users are satisfied with the sound quality in Widex hearing aids.

88%



of users are satisfied with the naturalness of Widex hearing aids.*

*Ziegler et al. (2023, forthcoming), Widex user satisfaction study, Survey of 3877 Widex Moment App users. WidexPress 53.



SOUND LIKE NO OTHER

CONTENTS

Widex ALLURE™	04
Widex MOMENT™	08
Widex MAGNIFY™	13
Widex ENJOY™	18
Other Hearing Aids (Evoke)	20
Dex Accessories	22
Accessories	24
Apps	25
Choose the Right Solution	26

Terms & Conditions

1. Widex Hearing Aids carry warranty as indicated in the price list.
2. Kit includes 2 units of hearing aids and a charger.
3. Accessories (Chargers, Receivers, DEX Accessories, CROS / BiCROS) carry 1 year warranty.
4. Power adaptor for some accessories will have to be procured separately.
5. Custom hearing aids prices include shelling charges.
6. HP Receiver customization charges are included in the RIC pricing.
7. RIC / BTE instruments will be supplied in standard beige colour. Other colour housing options for RIC / BTE models are subject to a delivery lead time of 3 weeks.
8. Hearing Aids are exempted from GST.
9. GST applicable on accessories. Retail prices of accessories are inclusive of GST.
10. The pricing and product specifications are subject to change without prior notice.
11. Chargers for selective models will have to be purchased separately.

WIDEX ALLURE™

PERFORMANCE AND FEATURE OVERVIEW

PRECISION HEARING TECHNOLOGY		440	330	220	110
Allure PureSound™	Ultrafast sound processing that removes delay-based distortion for the most pure and personal sound for open fittings.	●	●	●	●
Speech Enhancer Pro	Reduces noise and enhances speech in real time in response to individual sound situations and hearing loss.	Prem.	Adv.	Std.	Basic
Dynamic Feedback Controller	Fast and efficient detection and cancellation of feedback, engineered to adapt and preserve sound quality without artifacts.	●	●	●	●
Sound Classifier Categories	Hearing aids adapt automatically to different listening situations for clarity, comfort, and audibility.	11	8	6	4
Dedicated Streaming Compressor	Improved sound quality of streamed sound made possible by a separate streaming compressor.	●	●	●	●

KEY FEATURES		440	330	220	110
Processing channels -Fine tuning handles	Number of channels/handles for a more precise sound experience and speech intelligibility.	15	12	10	8
HD Locator bands	For better speech intelligibility in noise with channel-specific directionality for speech emphasis.	15	12	10	8
Listening program options	Ensures optimum audibility, speech intelligibility, and comfort in more listening situations. Maximum allowed programs:	5	4	3	3
Soft-level noise reduction	Unwanted background noise is reduced for greater listening comfort.	Adv.	Adv.	Adv.	Basic
SmartWind Manager™	Improves comfort and preserves speech understanding in windy situations, while preserving binaural hearing.	Adv.	Adv.	Basic	Basic
Trusound Softener	Preserves comfort for sudden sounds at any input level by taking the edge off impact/impulse sounds.	Adv.	Adv.	Basic	Basic
Digital Pinna	Helps locate and focus naturally on the voice in front or behind by mimicking the normal pinna effect.	●	●	—	—
TruAcoustics™	Customization for the user's ear canal for a more accurate and improved sound quality for all ear-tips.	●	●	●	●
Variable speed compression	Compression adjusts dynamically from fast to slow for consistent speech understanding and listening comfort at all input levels.	●	●	●	●
True Input technology	Impressive speech intelligibility and sound quality in every situation due to an expanded input range of 113 dB SPL.	●	●	●	●

WIDEX ALLURE™

PERFORMANCE AND FEATURE OVERVIEW

CONNECTIVITY & CONTROL		440	330	220	110
Direct audio streaming	Direct streaming of audio from iPhones and ASHA-compatible and LE Audio Android smartphones.	●	●	●	●
Hands-free Communication	The microphone of the hearing aid is used to pick up the user's voice for phone calls on a compatible iPhone.	●	●	●	●
Call Control	Answer and end phone calls from a compatible iPhone using the hearing aid push button or with a double tap to the device or ear.	●	●	●	●
Widex Allure App	Redesigned app with a clear, intuitive workflow and enhanced accessibility functions.	●	●	●	●
AI Sound Assistant	Machine learning algorithms to effortlessly guide wearers to a better, more personalized hearing experience.	●	●	●	●
AI Quick Assistant	AI-driven analysis provides real-time recommendations for personalized settings in seconds.	●	●	●	●
Find my hearing aids	Display a map with the GPS location of your hearing aids.	●	●	●	●
Personalized Programs	Save your hearing aid adjustments using our AI tools or sound equalizer as easily accessible personal programs.	5	5	5	5
Directional Focus	Adjust the directional focus of the hearing aid microphones manually.	Adv.	Adv.	Basic	Basic
Telecoil	Connect easily to Telecoil enabled systems.	●	●	●	●
Widex TV PLAY 2	Direct stereo streaming of TV to hearing aids. Excellent sound and discreet design.	●	●	●	●
RC-DEX	A simple remote for volume and program adjustment.	●	●	●	●
Push Button	Programmable button to control hearing aid functions with a short or long press.	●	●	●	●
LED Indicator	Easily see power, battery and Bluetooth connection status of the device.	●	●	●	●



THE DIFFERENCE IS CLEAR



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
-------	-------------	---------	------------------	-----------------------	----------------

WIDEX ALLURE

KIT - ALLURE RIC R D (Mfi, ASHA & LE Audio)

Kit ARRD1 440	RIC	Li-ion	4	0-110	8,00,000
Kit ARRD1 330	RIC	Li-ion	4	0-110	4,80,000
Kit ARRD1 220	RIC	Li-ion	2	0-110	2,90,000
Kit ARRD1 110	RIC	Li-ion	2	0-110	1,80,000

ALLURE RIC R D (Mfi, ASHA & LE Audio)

ARRD1 440	RIC	Li-ion	4	0-110	4,10,000
ARRD1 330	RIC	Li-ion	4	0-110	2,50,000
ARRD1 220	RIC	Li-ion	2	0-110	1,50,000
ARRD1 110	RIC	Li-ion	2	0-110	95,000

KIT - ALLURE BTE R D (Mfi, ASHA & LE Audio)

Kit ABRD1 440	BTE	Li-ion	4	0-105	8,00,000
Kit ABRD1 330	BTE	Li-ion	4	0-105	4,80,000
Kit ABRD1 220	BTE	Li-ion	2	0-105	2,90,000
Kit ABRD1 110	BTE	Li-ion	2	0-105	1,80,000

ALLURE BTE R D (Mfi, ASHA & LE Audio)

ABRD1 440	BTE	Li-ion	4	0-105	4,10,000
ABRD1 330	BTE	Li-ion	4	0-105	2,50,000
ABRD1 220	BTE	Li-ion	2	0-105	1,50,000
ABRD1 110	BTE	Li-ion	2	0-105	95,000

KIT - ALLURE ITE R D (Mfi, ASHA & LE Audio)

Kit ACRD1 440	ITC/ITE	Li-ion	4	0-95	8,00,000
Kit ACRD1 330	ITC/ITE	Li-ion	4	0-95	4,80,000
Kit ACRD1 220	ITC/ITE	Li-ion	2	0-95	2,90,000
Kit ACRD1 110	ITC/ITE	Li-ion	2	0-95	1,80,000

ALLURE ITE R D (Mfi, ASHA & LE Audio)

ACRD1 440	ITC/ITE	Li-ion	4	0-95	4,10,000
ACRD1 330	ITC/ITE	Li-ion	4	0-95	2,50,000
ACRD1 220	ITC/ITE	Li-ion	2	0-95	1,50,000
ACRD1 110	ITC/ITE	Li-ion	2	0-95	95,000

THE DIFFERENCE IS CLEAR



Model Name	Charger	Warranty	Unit Price (₹)
------------	---------	----------	----------------

ARRD1 / ABRD1 STANDARD CHARGER WPT301		1	11,000
ARRD1 PORTABLE CHARGER WPP101		1	13,000
ARRD1 / ABRD1 CHARGE N CLEAN WPC301		1	15,000
ACRD1 ITE CHARGER WPT501		1	15,000



WIDEX MOMENT™

PERFORMANCE AND FEATURE OVERVIEW

AUDIBILITY IN QUIET		440	330	220	110
PureSound™	A dedicated automatic program with ultra fast sound processing (<0.5 ms) designed to provide natural sound quality	●	●	●	●
TruAcoustics™ 2.0	Improved fitting calculation by Individual ear canal, ear tips and ear mould acoustics integration in to Hearing aid parameter settings.	●	●	●	●
Variable Speed Compression	Automatic gearing for Smooth sound and Stable audibility in each sound class for people with all cognitive backgrounds	IE	IE	●	●
Digital Pinna	Designed to locate and focus naturally on the voice in front/behind, by mimicking the normal pinna effect	●	●		
EDRC	For audibility of soft sounds, speech understanding and comfort in loud environments (Low CT)	●	●	●	●
AUDIBILITY IN NOISE		440	330	220	110
Speech Enhancer	Reduces noise and enhances speech in real time in response to individual sound situations and hearing loss (SII based technology)	RT	IE		
MySound 2.0	An app feature based on AI, to personalise hearing situations in seconds utilizing equalizer & compression parameters	●	●	●	
HD Locator	Better speech intelligibility in noise with channel-specific directionality for speech emphasis	15	12	10	●
Improved Microphone Angle (SmartRIC)	Allows for better signal to noise ratio in noisy situations, helps users engage in noisy situations - 12.5% improvement in speech understanding	●	●	●	●
Noise Reduction SIS	Provides listening comfort by reducing noise and intensifying speech	●	●	●	●
True-Input Technology	Impressive speech intelligibility and sound quality even in very soft and loud situations (Soft sound input of 5dB SPL)	●	●	●	●
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort (reduces soft level noise upto 11dB)	●	●	●	●
Free Focus	This universal app feature enables the user to selectively focus on speech from the left side, right side or from behind	●	●	●	●
USER COMFORT		440	330	220	110
Smart Wind Manager	Better Speech understanding and comfort in windy/ outdoor conditions (upto 8.4 dB SNR)	●			
Reduced Wind Noise (SmartRIC)	Upto 20 dB reduction in low frequencies	●	●	●	●
Reduced Touch Noise (SmartRIC)	Upto 88% improvement in loudness ratings	●	●	●	●
Sound Class Technology	Automatically detects sound environment in order to prioritise and select the feature set (based on real life sound class library)	11 (IE)	7 (IE)	4	3
TruSound AOC	Ensures distortion-free sound performance even when the hearing aid is fitted close to the fitting limit or high-level level output sounds	●	●	●	●
TruSound Softener	Preserves comfort for sudden sounds at any input level	●	●	●	

• RT: Real Time • IE: Inter Ear • CT: Compression Threshold • SNR: Signal to Noise Ratio • MS: Milliseconds • AI: Artificial Intelligence • SII: Speech Intelligibility Index

Multi Directional Active Feedback Cancellation	Minimises whistling: enhanced identification and cancelling of feedback	●	●	●	●
My Guide	An app feature empowering users to maximize the comfort, performance, and utility of their hearing aid devices after the initial fitting	●	●	●	●
USER CONTROLS		440	330	220	110
SoundSense Adapt	Adaptive learning to remember the user's preferred settings across multiple parameters for each environment, resulting in better sound	●	●	●	
Preference Control	Blends gain and feature adjustments for greater efficiency	●	●	●	●
Listening Programs	A wider selection of programs for more listening situations	5	4	3	3
Personal Programs	Programs created by user using My Sound 2.0 to access challenging situations (Upto 30 personal programs)	●	●	●	●
Music Reproduction	A default music listening program, dedicated music sound class and streaming template (440: Classical & Contemporary music classification)	●	●	●	●
Speech(S) Music (M) Streaming Template	Specially designed streaming template for speech and music	S/M	S/M	S/M	S/M
HEARING HIGH FREQUENCIES		440	330	220	110
High-Frequency Boost	Clear and crisp sound in high frequencies for better music appreciation and tinnitus management	●			
Audibility Extender	Better access to HF sounds with linear frequency transposition and adaptation	●	●	●	●
Extended Frequency Bandwidth	Extended frequency range of 70-10,000 Hz in select form factors	●	●	●	●
TINNITUS MANAGEMENT		440	330	220	110
ZEN	Multiple programs of soothing fractal tones helps user manage Tinnitus	●	●	●	●
ZEN Plus	Dedicated Toggle program with limited play time and Noise shaping	●	●	●	●
Sound Relax	Palette of fractals and relax tones for well being and Tinnitus management	●	●	●	●
FITTING AND FINE TUNING		440	330	220	110
Sound Diary	Easy monitoring of user data and hearing aid use including listening situations and loudness levels	●	●	●	●
Processing and Fitting Channels	For accurate processing and speech intelligibility with variable frequency bands	15	12	10	6
Sensogram	Precision fitting with 9 frequency in situ audiometry across form factors	●	●	●	●

**THE PERFECTION OF
NATURAL SOUND**



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
WIDEX MOMENT					

KIT SMARTRIC R D (MFi & ASHA)

Kit MRRLD 440	Slim-RIC	Li-ion	4	0-110	7,50,000
Kit MRRLD 330	Slim-RIC	Li-ion	4	0-110	4,50,000
Kit MRRLD 220	Slim-RIC	Li-ion	2	0-110	2,45,000
Kit MRRLD 110	Slim-RIC	Li-ion	2	0-110	1,55,000

KIT sRIC R D (MFi & ASHA)

Kit MRR4D 440	RIC	Li-ion	4	0-110	7,00,000
Kit MRR4D 330	RIC	Li-ion	4	0-110	4,00,000
Kit MRR4D 220	RIC	Li-ion	2	0-110	2,30,000
Kit MRR4D 110	RIC	Li-ion	2	0-110	1,45,000

sRIC R D (MFi & ASHA)

MRR4D 440	RIC	Li-ion	4	0-110	3,60,000
MRR4D 330	RIC	Li-ion	4	0-110	2,10,000
MRR4D 220	RIC	Li-ion	2	0-110	1,25,000
MRR4D 110	RIC	Li-ion	2	0-110	80,000

RIC 312 D (MFi & ASHA)

MRB2D 440	RIC	312	4	0-115	3,35,000
MRB2D 330	RIC	312	4	0-115	1,90,000
MRB2D 220	RIC	312	2	0-115	1,10,000
MRB2D 110	RIC	312	2	0-115	70,000

RIC 10

MRB0 440	RIC	10	4	0-90	3,30,000
MRB0 330	RIC	10	4	0-90	1,90,000
MRB0 220	RIC	10	2	0-90	1,10,000
MRB0 110	RIC	10	2	0-90	70,000

KIT BTE R D (MFi & ASHA)

Kit MBR3D 440	BTE	Li-ion	4	0-105	6,60,000
Kit MBR3D 330	BTE	Li-ion	4	0-105	3,80,000
Kit MBR3D 220	BTE	Li-ion	2	0-105	2,20,000
Kit MBR3D 110	BTE	Li-ion	2	0-105	1,40,000

**THE PERFECTION OF
NATURAL SOUND**



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
WIDEX MOMENT					

BTE R D (MFi & ASHA)

MBR3D 440	BTE	Li-ion	4	0-105	3,40,000
MBR3D 330	BTE	Li-ion	4	0-105	2,00,000
MBR3D 220	BTE	Li-ion	2	0-105	1,18,000
MBR3D 110	BTE	Li-ion	2	0-105	75,000

BTE 13 D (MFi & ASHA)

MBB3D 440	BTE	13	4	0-105	3,30,000
MBB3D 330	BTE	13	4	0-105	1,90,000
MBB3D 220	BTE	13	2	0-105	1,10,000
MBB3D 110	BTE	13	2	0-105	70,000

BTE 312

MBB2 440	BTE	312	4	0-95	3,25,000
MBB2 330	BTE	312	4	0-95	1,90,000
MBB2 220	BTE	312	2	0-95	1,10,000
MBB2 110	BTE	312	2	0-95	70,000

ITC

M XP 440	ITC	312	4	0-85	3,15,000
M XP 330	ITC	312	4	0-85	1,90,000
M XP 220	ITC	312	2	0-85	1,10,000
M XP 110	ITC	312	2	0-85	70,000

CIC

M CIC 440	CIC	10	4	0-90	3,15,000
M CIC 330	CIC	10	4	0-90	1,90,000
M CIC 220	CIC	10	2	0-90	1,10,000
M CIC 110	CIC	10	2	0-90	70,000

CIC Micro

M CIC M 440	CIC	10	4	0-90	3,15,000
M CIC M 330	CIC	10	4	0-90	1,90,000
M CIC M 220	CIC	10	2	0-90	1,10,000
M CIC M 110	CIC	10	2	0-90	70,000

**THE PERFECTION OF
NATURAL SOUND**



Model Name	Charger	Warranty	Unit Price (₹)
MRR4D PORTABLE CHARGER WPP401		1	13,000
MRR4D STANDARD CHARGER WPT103		1	11,000
MBR3D STANDARD CHARGER WPT202		1	11,000
MRR4D CHARGE N CLEAN WPC101		1	15,000
MBR3D CHARGE N CLEAN WPC 201		1	15,000



Our longest-lasting rechargeable RIC hearing aid
It's no secret that battery life is a crucial factor today. As hearing aid technology allows for more functionalities, bigger and better batteries are required. With improved battery performance, users can now enjoy our longest-lasting rechargeable RIC ever, providing extended wear and more streaming time.

The Portable Charger offers ...

One charge, full day of natural hearing
A 4-hour charge gives a full day of natural sound no matter how long you stream. For those in a hurry, a quick 30-minute charge ensures up to 8 hours of effective use.

Convenience meets lifestyle
The charger's compact size fits effortlessly into a bag or pocket for easy portability.

Hassle-free charging for life on the go
With a SmartRIC portable charger, you can empower your clients with hassle-free charging, mobility, and peace of mind. Whether they're spending a weekend with their family, going hiking, or enjoying a vacation, this portable charger provides up to five charges, allowing over a week of freedom.

No guesswork, just assurance
LED indicators provide instant charging status visibility, giving your clients confidence that their hearing aids are ready when needed.

WIDEX MAGNIFY™

PERFORMANCE AND FEATURE OVERVIEW

AUDIBILITY / LISTENING IN QUIET		100	50	30
TruAcoustics™ with Personal Gain Integrator	A more accurate and improved sound (less over-compensation / less boominess) for all inputs	●	●	●
Enhanced Dynamic Range Compression	For audibility of soft sounds, speech understanding and comfort in loud environments	●	●	●
Fitting rationale options	WFR: Widex fitting rationale; NAL: NAL-NL2; DSL: DSL v5.0a	WFR/NAL/DSL	WFR/NAL/DSL	WFR/NAL/DSL
LISTENING IN NOISE		100	50	30
True-Input Technology	Impressive speech intelligibility and sound quality in every situation due to an expanded input range of 113 dB SPL	●	●	●
Locator	For better speech intelligibility in noise with channel-specific directionality for speech emphasis	6 ch	4 ch	Omni front
Noise Reduction SIS	Provides listening comfort by reducing noise and intensifying speech	●	●	●
Soft Level Noise Reduction	Unwanted background noises are reduced for greater listening comfort	●	●	●
Noise Reduction SIS	Provides listening comfort by reducing noise and intensifying speech	Via MAGNIFY App	Via MAGNIFY App	
USER COMFORT		100	50	30
Wind noise control	Reduction of wind noise	●	●	●
USER CONTROLS		100	50	30
Listening programs	A wider selection of programs for more listening situations	3	3	3
InterEar volume/program shift	Change the volume/program in both hearing aids simultaneously	●	●	●
SmartSpeak/SmartTone	Voice or tone alerts for easy hearing aid management	●	●	Smart tone only
Personal Zen	Flexible noise style adjustable according to desired frequency	●	●	
Zen/Zen+	A tinnitus management tool for reducing the effects of tinnitus using soothing tones and/or noise; additional programs with Zen+	●	●	
Wireless CROS compatible	Wireless device to assist with single-sided deafness; utilises WidexLink	●	●	

WIDEX MAGNIFY™

PERFORMANCE AND FEATURE OVERVIEW

HEARING HIGH FREQUENCIES		100	50	30
Audibility Extender	High frequency sounds are audible in one listening program, using linear frequency transposition	●		
FITTING AND FINE TUNING		100	50	30
Processing channels	For accurate processing and a more precise sound experience and speech intelligibility	6	4	4
Fitting frequency channels	Number of adjustable frequency bands	6	4	4
High-resolution Sensogram	Start the fitting process more accurately using in-situ thresholds for precision fitting	●	●	●
Sound Diary/Datalogging	Allows easy monitoring of user data and hearing aid use - including characteristics of the listening environments and program selection	●	●	●
APPS, ACCESSORIES AND REMOTE CONTROLS		100	50	30
TONELINK APP	Intuitive and customizable App to adjust various sound settings and listening programs to suit their individual preferences	●	●	
MAGNIFY APP ¹	Intuitive and customizable App to adjust various sound settings and listening programs to suit their individual preferences	●	●	
TV PLAY 2	Outstanding sound performance device providing 2.4 GHz direct stable stereo streaming to hearing aids. Easy control using the app	●	●	
SOUND ASSIST	Stylish device that can be a table microphone, handle hands-free calls, stream from digital and analogue source, and even be a remote control to adjust your hearing aid settings	●	●	
COM-DEX	A hands-free device for streaming high-quality sound from any mobile phone to hearing aids.	●	●	
RC-DEX	Compact remote control for changing programs and volume	●	●	

AMAZING SOUND EASY RECHARGEABILITY



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
WIDEX MAGNIFY					
KIT mRIC R D (MFi & ASHA)					
Kit MRR2D 100	RIC	Li-ion	2	0-110	1,15,000
Kit MRR2D 50	RIC	Li-ion	2	0-110	87,990
mRIC R D (MFi & ASHA)					
MRR2D 100	RIC	Li-ion	2	0-110	59,990
MRR2D 50	RIC	Li-ion	2	0-110	45,990
RIC 312 D (MFi & ASHA)					
MRB2D 100	RIC	312	2	0-115	48,500
MRB2D 50	RIC	312	2	0-115	38,500
RIC 10					
MRB0 100	RIC	10	2	0-90	48,500
MRB0 50	RIC	10	2	0-90	35,500
MRB0 30	RIC	10	2	0-90	25,500
KIT BTE R D (MFi & ASHA)					
Kit MBR3D 100	BTE	Li-ion	2	0-105	1,10,000
Kit MBR3D 50	BTE	Li-ion	2	0-105	82,990
BTE R D (MFi & ASHA)					
MBR3D 100	BTE	Li-ion	2	0-105	55,990
MBR3D 50	BTE	Li-ion	2	0-105	42,990
BTE 13 D (MFi & ASHA)					
MBB3D 100	BTE	13	2	0-105	48,500
MBB3D 50	BTE	13	2	0-105	35,500
BTE 312					
MBB2 100	BTE	312	2	0-95	48,500
MBB2 50	BTE	312	2	0-95	35,500
MBB2 30	BTE	312	2	0-95	25,500
ITC					
M XP 100	ITC	312	2	0-85	48,500
M XP 50	ITC	312	2	0-85	35,500
M XP 30	ITC	312	2	0-85	25,500

AMAZING SOUND EASY RECHARGEABILITY



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
WIDEX MAGNIFY					
CIC					
M CIC 100	CIC	10	2	0-90	48,500
M CIC 50	CIC	10	2	0-90	35,500
M CIC 30	CIC	10	2	0-90	25,500
CIC Micro					
M CIC M 100	CIC	10	2	0-90	48,500
M CIC M 50	CIC	10	2	0-90	35,500
M CIC M 30	CIC	10	2	0-90	25,500

Model Name	Charger	Warranty	Unit Price (₹)
MRR2D STANDARD CHARGER WPT102		1	11,000
MBR3D STANDARD CHARGER WPT202		1	11,000
MBR3D CHARGE N CLEAN WPC 201		1	15,000
MRR4D CHARGE N CLEAN WPC101		1	15,000

WIDEX ENJOY™

PERFORMANCE AND FEATURE OVERVIEW

FEATURE	BENEFITS	100	50	30
Performance		XXX	XX	X
Processing channels	For accurate processing and a more precise sound experience and speech intelligibility	6	4	4
Fine-tuning channels	More options for personalised sound to cater to user preferences and hearing needs	6	4	4
DEX availability	Fast, echo-free transmission of sound between hearing aids and DEX devices	●	●	Only RC DEX
Programs	Option to save different listening programs for specific situations	3	3	3
Locator (Number of channels)	For better speech intelligibility in noise with channel-specific microphone directionality	6	4	front/omni
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort	●	●	●
Noise Reduction	Listening comfort in noise to aid in hearing speech	NR	Minimal	Minimal
ZEN IE / ZEN+	A tinnitus management tool for reducing the effects of tinnitus using soothing tones and/or noise; additional programs with Zen+	●	●	
Audibility Extender	Improves perception and production of important high-frequency speech sounds	●		
ENJOY App	Easy adjustments and audio streaming from smartphones to models with 2.4 GHz connectivity	●	●	
TONELINK App	Easy connection and control from smartphones (all hearing aid models)	●	●	



ENJOY NATURAL SOUND,
EFFORTLESSLY



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
WIDEX ENJOY					
RIC 312 D (MFi)					
F2 100	RIC	312	2	0-115	45,990
F2 50	RIC	312	2	0-115	34,990
RIC 312					
FS 100	RIC	312	2	0-115	45,990
FS 50	RIC	312	2	0-115	28,990
RIC 10					
ERB0 100	RIC	10	2	0-90	45,990
PA 100	RIC	10	2	0-90	45,990
BTE 13 D (MFi)					
EBB3D 100	BTE	13	2	0-105	45,990
EBB3D 50	BTE	13	2	0-105	34,990
BTE 13 POWER					
FP 100	BTE	13	2	20-110	45,990
FP 50	BTE	13	2	20-110	28,990
FP 30	BTE	13	2	20-110	23,990
BTE 312					
FA 100	BTE	312	2	0-95	45,990
FA 50	BTE	312	2	0-95	28,990
FA 30	BTE	312	2	0-95	23,990
FM 100	BTE	312	2	0-95	45,990
FM 50	BTE	312	2	0-95	28,990
FM 30	BTE	312	2	0-95	23,990
CUSTOM					
XP 100	ITC	312	2	0-85	45,990
XP 50	ITC	312	2	0-85	28,990
XP 30	ITC	312	2	0-85	23,990
CIC 100	CIC	10	2	0-90	45,990
CIC 50	CIC	10	2	0-90	28,990
CIC M 100	CIC	10	2	0-90	45,990
CIC M 50	CIC	10	2	0-90	28,990

**THIS HEARING AID EVOLVES
IN REAL LIFE TO KEEP
GETTING SMARTER**



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
OTHER HEARING AIDS (Evoke)					
RIC 312 Direct (Mfi)					
ERB2D 440	RIC	312	4	0-115	2,00,000
ERB2D 330	RIC	312	4	0-115	1,40,000
ERB2D 220	RIC	312	2	0-115	80,000
ERB2D 110	RIC	312	2	0-115	65,000
RIC 312 Direct (Mfi)					
F2 440	RIC	312	4	0-115	2,00,000
F2 330	RIC	312	4	0-115	1,40,000
F2 220	RIC	312	2	0-115	80,000
F2 110	RIC	312	2	0-115	65,000
RIC 312					
FS 440	RIC	312	4	0-115	2,00,000
FS 330	RIC	312	4	0-115	1,40,000
FS 220	RIC	312	2	0-115	80,000
FS 110	RIC	312	2	0-115	65,000
RIC 10					
ERB0 440	RIC	10	4	0-90	2,00,000
ERB0 330	RIC	10	4	0-90	1,40,000
ERB0 220	RIC	10	2	0-90	80,000
ERB0 110	RIC	10	2	0-90	65,000
BTE 13 Direct (Mfi)					
EBB3D 440	BTE	13	4	0-105	2,00,000
EBB3D 330	BTE	13	4	0-105	1,40,000
EBB3D 220	BTE	13	2	0-105	80,000
EBB3D 110	BTE	13	2	0-105	65,000
BTE 312					
FA 440	BTE	312	4	0-95	2,00,000
FA 330	BTE	312	4	0-95	1,40,000
FA 220	BTE	312	2	0-95	80,000
FA 110	BTE	312	2	0-95	65,000

• Battery life varies with streaming • RIC fitting range varies with receiver

**THIS HEARING AID EVOLVES
IN REAL LIFE TO KEEP
GETTING SMARTER**



Model	Form Factor	Battery	Warranty (Years)	Fitting Range (dB HL)	Unit Price (₹)
OTHER HEARING AIDS (Evoke)					
Mini BTE 312					
FM 440	BTE	312	4	0-95	2,00,000
FM 330	BTE	312	4	0-95	1,40,000
FM 220	BTE	312	2	0-95	80,000
FM 110	BTE	312	2	0-95	65,000
ITC					
XP 440	ITC	312	4	0-85	2,00,000
XP 330	ITC	312	4	0-85	1,40,000
XP 220	ITC	312	2	0-85	80,000
XP 110	ITC	312	2	0-85	65,000
CIC					
CIC 440	CIC	10	4	0-90	2,00,000
CIC 330	CIC	10	4	0-90	1,40,000
CIC 220	CIC	10	2	0-90	80,000
CIC 110	CIC	10	2	0-90	65,000
CIC Micro					
CIC M 440	CIC	10	4	0-90	2,00,000
CIC M 330	CIC	10	4	0-90	1,40,000
CIC M 220	CIC	10	2	0-90	80,000
CIC M 110	CIC	10	2	0-90	65,000
EVOKE POWER BTE					
Evoke FP 440	BTE	13	4	20-110	2,00,000
Evoke FP 330	BTE	13	4	20-110	1,40,000
Evoke FP 220	BTE	13	2	20-110	80,000
Evoke FP 110	BTE	13	2	20-110	65,000

DEX ACCESSORIES

Model	Features	Unit Price (₹)
 TV PLAY 2	<ul style="list-style-type: none"> Award-winning design with Kvadrat fabric top Premium look and feel with high-quality materials and finish Ready for future Widex hearing aid platforms using LE Audio An easy toggle on the bottom of the device to select streaming mode: I = WICL for Evoke and Moment II = LE Audio for Allure 	17,990/-
 TV PLAY	<ul style="list-style-type: none"> New look with exclusive Kvadrat textile material (82 x 158 x 22 mm; 110g) 2.4 GHz direct audio streaming from TV to compatible hearing aids Option for personalizing and balancing TV volume between ambient sounds and conversations. Volume control via hearing aids, Widex Moment/ Magnifyapp Range up to 15m line-of-sight Powered via Micro USB input 	17,990/-
 SOUND ASSIST™	<ul style="list-style-type: none"> Partner and table remote microphone, to improve speech intelligibility in difficult listening environments Headset mode for phone calls on the go Streaming audio from any Bluetooth device Remote control for your Widex Moment/ Magnify hearing aids Telecoil mode 	20,000/-
 SOUND CONNECT	<p>Widex Sound Connect allows to stream high-quality audio from clients' computers directly to their hearing aids.</p> <ul style="list-style-type: none"> Small and compact (22 x 15.9 x 6.8 mm; 2g) High-quality stereo sound Plug-and-play, no installation required Volume control via PC/ laptop volume setting; Widex Moment and Magnify App Up to 8m line-of-sight 	8,000/-
 COM - DEX	<p>A stylish, true hands-free communication device that streams high quality sound to your hearing aids from any mobile phone.</p> <ul style="list-style-type: none"> Hands-free due to the built-in microphone Comfortable fabric neck loop Use up to 8h of streaming Micro USB power supply 	12,000/-
 RC-DEX	<ul style="list-style-type: none"> Change your hearing aid program and turn volume up/down Small enough to be used as key ring attachment Battery lasts twelve months. 	9,000/-

EARPIECE OVERVIEW

	RECEIVERS	FITTING RANGE
V.1	 S- Receiver	S : 0-80 dB HL
	 M-Receiver	M : 0-90 dB HL
	 P- Receiver	P : 40-110 dB HL
	 HP- Receiver	HP : 50-115 dB HL
V.2	 M-Receiver	M : 0-90 dB HL
	 P- Receiver	P : 20-110 dB HL
	 HP- Receiver	HP : 20-110 dB HL*

INSTANT EAR TIPS

 Open Ear-tip	 Open Round Ear-tip	 Tulip	 Round One Vent
 Sleeve Vented	 Sleeve Power	 Double	 Round - Two Vent

* with peak gain of 86dB - FOG values for input 50dB SPL (IEC 60118-0) (ear Simulator)

WIDEX ACCESSORIES

ITEM	UNIT PRICE ₹	ITEM	UNIT PRICE ₹
WIDEX ZINC AIR BATTERIES		THIN TUBES	
Widex 675 (6 Batteries)	330	0.9 Easywear Thin Tube (0-4) L/R	590
Widex 13 (6 Batteries)	330	1.4 Easywear Thin tube (0-4) L/R	708
Widex 312 (6 Batteries)	330	0.9 V2 Easywear Thin Tube (0-4) L/R	826
Widex 10 (6 Batteries)	330	1.4 V2 Easywear Thin Tube (0-4) L/R	826
CROS/BICROS		EASYWEAR INSTANT EARTIPS	
CROS/BICROS FS	30,000	Open Eartip (Size: XS/S/L) (10 Pcs)	708
CROS/BICROS FA	30,000	Open Round Eartip (Size: S/M/L) (10 Pcs)	708
REMOTE CARE		Tulip Eartip (Size: M/L) (10 Pcs)	708
Remote link	15,000	Round Eartip-One Vent (Size: S/M/L)(10 Pcs)	708
RECEIVERS		Round Eartip-Two Vent (Size: S/M/L)(10 Pcs)	708
EASYWEAR RECEIVERS		Sleeve Vented (Size: XS/S/M/L) (10 Pcs)	708
S Receiver (0-4) L/R	4,130	Sleeve Power (Size: XS/S/M/L) (10 Pcs)	708
M Receiver (0-4) L/R	4,130	Double Eartip (Size: XS/S/M/L) (10 Pcs)	708
P Receiver (0-4) L/R	4,130	CUSTOM EARTIPS	
HP Receiver (0-4) L/R	4,130	RIC Custom Hard Eartip	1,168
VERSION 2 - EASYWEAR RECEIVERS		BTE Hard Mould	900
V2 M Receiver (Size: 0-4) L/R	4,484	BTE Soft Mould	1,100
V2 P Receiver (Size: 0-4) L/R	4,484	MISCELLANEOUS	
V2 HP Receiver (Size: 0-4) L/R	4,484	BTE Eartip (Ear tip along with tube)	118
		BTE L Bend	41
		BTE Ear Tip (S/M/L)	59
		Dry Kit	177
		Wax Guard Kit (8pcs)	348
		Cleaning Kit	138
		Perfect Dry Lux	5,990

SMARTPHONE APP OPTIONS

THE WIDEX ALLURE APP

A BETTER CONNECTION TO DIGITAL LIFE
The Allure app helps users take control with intuitive onboarding and built-in help guides. Users benefit from integrated instructions and real-time, AI-powered sound personalization tools like AI Quick Assistant and AI Sound Assistant, making it easy to fine-tune-sound preferences-on-demand; no appointment needed.



By working together with smartphone accessibility features like adjustable text size-light-and-dark modes targeted-action areas, and haptic feedback, the Allure app is designed for users of all abilities, empowering everyone to confidently enjoy personalized sound and effortless device control from day one.

WIDEX MAGNIFY™ APP

Widex Magnify app allows users to have full control of their hearing aids.



WIDEX ENJOY APP

Widex Enjoy app allows users to adjust the Hearing aids volume and directional focus.



WIDEX MOMENT™ APP

Widex Moment app allows users to control their hearing aids and have access to the powerful sound personalization of MySound AI, enjoy direct streaming of music, video and calls, and get tips and advice about using Moment with My Guide



WIDEX TONELINK APP

Widex Tonelink app is the solution to give users control of their non-Bluetooth enabled hearing aids. The app works as a remote control and provide users easy access to key functions.



WIDEX REMOTE CARE™ APP

- Access to real-time hearing assistance from anywhere
- Compatible with all wireless Widex hearing aids
- Requires a REMOTE LINK device



CHOOSE THE RIGHT SOLUTION

Identify your lifestyle needs and listening solutions

	Sound Quality	Speech Enhancement	Sound Optimization	Music Optimization
	Natural Sound Experience	Improved Speech Understanding in Noise	User Driven Personalised Sound	High Quality Music Experience
440
Best Understanding of Speech without distortion in Exciting & Complex listening situations including Wind noise. Overall Superior Speech and Music quality in all situations				
330
Excellent Understanding of Speech without distortion in noisy world. Unique speech enhancement for hearing every word and listening in comfort				
220
Good Understanding of Speech without distortion in listening situations. Advanced directional hearing to focus on the person you really want to hear.				
110
Improved Understanding of speech in everyday situations				
100
Good Speech understanding and directionality In everyday situations.				
50
Better Audibility in quiet in everyday situations				
30	
Good Audibility in quiet in everyday situations				

Connectivity	Tinnitus	Complex	Vibrant	Active	Dynamic	Quiet
Direct Audio Streaming & App Based Optimization	Tinnitus Distress Relief Therapy / Relax Tones / Zen Tones	Large Gatherings, Parties, Work Events, Big Crowds, Multi Talker Situations	Small Group Conversations & Noisy Restaurant	Shopping Centres & Moderately Noisy Outdoor	Low Level Noisy Situations	One On One Conversation
Bluetooth					
Bluetooth					
Bluetooth					
Bluetooth					
Bluetooth	...					
Bluetooth	...					
						